Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for		
Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²
	Hispanic, both sexes, all ages ³				Hispanic, both sexes, 15-24 years		
	All causes	98,406	325.3		All causes	4,411	83.3
1	Diseases of heart (390-398,402,404-429)	24,596	81.3	1	Accidents and adverse effects (E800-E949)	1,788 1,280	33.7 24.2
3	lymphatic and hematopoietic tissues (140-208) Accidents and adverse effects (E800-E949)	19,528 8,248	64.6 27.3		All other accidents and adverse	500	9.6
	Motor vehicle accidents (E810-E825)	4,339	14.3	2	effects (E800-E807,E826-E949) Homicide and legal intervention (E960-E978)	508 1,237	23.3
	All other accidents and adverse	.,000		3	Suicide (E950-E959)	439	8.3
	effects (E800-E807,E826-E949)	3,909	12.9	4	Malignant neoplasms, including neoplasms of		
	Cerebrovascular diseases (430-438)	5,587	18.5	l _	lymphatic and hematopoietic tissues (140-208)	241	4.
5 6	Diabetes mellitus (250)Pneumonia and influenza (480-487)	4,741 3,277	15.7 10.8	5 6	Diseases of heart (390-398,402,404-429)	114	2.2
	Homicide and legal intervention (E960-E978)	2,978	9.8	7	Congenital anomalies (740-759) Cerebrovascular diseases (430-438)	52 32	1.0 0.6
	Chronic liver disease and cirrhosis (571)	2,845	9.4	8	Pneumonia and influenza (480-487)	22	0.4
	Chronic obstructive pulmonary diseases	2,0.0	0	9	Chronic obstructive pulmonary diseases		0.
	and allied conditions (490-496)	2,528	8.4		and allied conditions (490-496)	21	0.4
10	Certain conditions originating in the perinatal			9	Human immunodeficiency virus		
	period (760-779)	1,987	6.6		infection (*042-*044)	21	0.4
	All other causes (Residual)	22,091	73.0		All other causes (Residual)	444	8.4
	Hispanic, both sexes, 1-4 years				Hispanic, both sexes, 25-44 years		
	All causes	819	30.4		All causes	12,663	130.2
1	Accidents and adverse effects (E800-E949)	297	11.0	1	Accidents and adverse effects (E800-E949)	3,247	33.4
	Motor vehicle accidents (E810-E825)	156	5.8		Motor vehicle accidents (E810-E825)	1,608	16.
	All other accidents and adverse effects (E800-E807,E826-E949)	1.11	5.2		All other accidents and adverse	4.000	10.
2	Congenital anomalies (740-759)	141 92	3.4	2	effects (E800-E807,E826-E949)	1,639	16.9
	Malignant neoplasms, including neoplasms of	92	3.4	2	lymphatic and hematopoietic tissues (140-208)	1,637	16.8
O	lymphatic and hematopoietic tissues (140-208)	58	2.2	3	Homicide and legal intervention (E960-E978)	1,273	13.
4	Homicide and legal intervention (E960-E978)	54	2.0	4	Human immunodeficiency virus	.,2.0	
5	Diseases of heart (390-398,402,404-429)	27	1.0		infection (*042-*044)	1,181	12.
	Pneumonia and influenza (480-487)	26	1.0	5	Diseases of heart (390-398,402,404-429)	1,002	10.3
	Septicemia (038)(430, 438)	21	8.0	6	Suicide (E950-E959)	755	7.8
	Cerebrovascular diseases (430-438)	9		7	Chronic liver disease and cirrhosis (571)	577	5.9
Э	infection (*042-*044)	8	*	8 9	Cerebrovascular diseases (430-438) Diabetes mellitus (250)	345 182	3.5 1.9
9	Chronic obstructive pulmonary diseases	· ·		10	Viral hepatitis (070)	172	1.8
-	and allied conditions (490-496)	8	*		All other causes (Residual)	2,292	23.6
9	Benign neoplasms, carcinoma in situ, and			'''	,,	_,	
	neoplasms of uncertain behavior and of				Hispanic, both sexes, 45-64 years		
	unspecified nature (210-239)	8	*				
	All other causes (Residual)	211	7.8	1	All causes	21,009	483.8
	Hispanic, both sexes, 5-14 years			1	Malignant neoplasms, including neoplasms of	F 000	400
	Hispanic, both sexes, 5-14 years			2	lymphatic and hematopoietic tissues (140-208) Diseases of heart (390-398,402,404-429)	5,936 4.801	136.7 110.6
	All causes	988	17.2	3	Chronic liver disease and cirrhosis (571)	1,380	31.8
	Accidents and adverse effects (E800-E949)	366	6.4	4	Accidents and adverse effects (E800-E949)	1,378	31.7
	Motor vehicle accidents (E810-E825)	232	4.0		Motor vehicle accidents (E810-E825)	665	15.3
	All other accidents and adverse				All other accidents and adverse		
	effects (E800-E807,E826-E949)	134	2.3	_	effects (E800-E807,E826-E949)	713	16.4
2	Malignant neoplasms, including neoplasms of	105	2.0	5	Diabetes mellitus (250)	1,240	28.6
3	lymphatic and hematopoietic tissues (140-208) Homicide and legal intervention (E960-E978)	165 70	2.9 1.2	6 7	Cerebrovascular diseases (430-438)	1,149	26.5
	Congenital anomalies (740-759)	55	1.0	'	Human immunodeficiency virus infection (*042-*044)	494	11.4
	Diseases of heart (390-398,402,404-429)	40	0.7	8	Pneumonia and influenza (480-487)	370	8.5
6	Suicide (E950-E959)	28	0.5	9	Chronic obstructive pulmonary diseases	0.0	5.0
7	Chronic obstructive pulmonary diseases				and allied conditions (490-496)	325	7.5
	and allied conditions (490-496)	15	*	10	Suicide (E950-E959)	301	6.9
	Pneumonia and influenza (480-487) Benign neoplasms, carcinoma in situ, and	13	*		All other causes (Residual)	3,635	83.7
	neoplasms of uncertain behavior and of	0	*				
10	unspecified nature (210-239)	9	*				
	Septicemia (038)	8 219	3.8				
	/ III OUTO	213	5.0	1			

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
Valik	non-i lispanic population, sex, and age	Number	Nate	INALIK	non-i iispanic population, sex, and age	Number	Nate
	Hispanic, both sexes, 65 years and over				Hispanic, male, 5-14 years		
	All causes	54,062	3,066.8		All causes	592	20.
1	Diseases of heart (390-398,402,404-429)	18,513	1,050.2	1	Accidents and adverse effects (E800-E949)	242	8.
2	Malignant neoplasms, including neoplasms of	-,-	,		Motor vehicle accidents (E810-E825)	147	5.
_	lymphatic and hematopoietic tissues (140-208)	11,479	651.2		All other accidents and adverse		
3	Cerebrovascular diseases (430-438)	3,988	226.2		effects (E800-E807,E826-E949)	95	3
3 4	Diabetes mellitus (250)	3,304	187.4	2	Malignant neoplasms, including neoplasms of		
5	Pneumonia and influenza (480-487)	2,622	148.7		lymphatic and hematopoietic tissues (140-208)	94	3
6	Chronic obstructive pulmonary diseases	, -		3	Homicide and legal intervention (E960-E978)	44	1
	and allied conditions (490-496)	2,053	116.5	4	Congenital anomalies (740-759)	28	1
7	Accidents and adverse effects (E800-E949)	998	56.6	5	Diseases of heart (390-398,402,404-429)	27	0
	Motor vehicle accidents (E810-E825)	346	19.6	6	Suicide (E950-E959)	18	
	All other accidents and adverse			7	Chronic obstructive pulmonary diseases		
	effects (E800-E807,E826-E949)	652	37.0		and allied conditions (490-496)	9	
8	Chronic liver disease and cirrhosis (571)	882	50.0	8	Pneumonia and influenza (480-487)	5	
9	Nephritis, nephrotic syndrome, and			9	Cerebrovascular diseases (430-438)	4	
-	nephrosis (580-589)	709	40.2	9	Human immunodeficiency virus		
0	Septicemia (038)	550	31.2		infection (*042-*044)	4	
	All other causes (Residual)	8,964	508.5	9	Septicemia (038)	4	
	(-,		9	Benign neoplasms, carcinoma in situ, and		
	Hispanic, male, all ages ³				neoplasms of uncertain behavior and of		
					unspecified nature (210-239)	4	
	All causes	55,821	366.4		All other causes (Residual)	109	3
1	Diseases of heart (390-398,402,404-429)	12,932	84.9				
2	Malignant neoplasms, including neoplasms of	,00_	00		Hispanic, male, 15-24 years		
-	lymphatic and hematopoietic tissues (140-208)	10,465	68.7		, , , ,		
3	Accidents and adverse effects (E800-E949)	6,229	40.9		All causes	3,544	128
	Motor vehicle accidents (E810-E825)	3,168	20.8	1	Accidents and adverse effects (E800-E949)	1,440	52
	All other accidents and adverse	0,100	20.0		Motor vehicle accidents (E810-E825)	989	36
	effects (E800-E807,E826-E949)	3,061	20.1		All other accidents and adverse		
4	Cerebrovascular diseases (430-438)	2,646	17.4		effects (E800-E807,E826-E949)	451	16
5	Homicide and legal intervention (E960-E978)	2,544	16.7	2	Homicide and legal intervention (E960-E978)	1,131	41
6	Diabetes mellitus (250)	2,203	14.5	3	Suicide (E950-E959)	368	13
6 7	Chronic liver disease and cirrhosis (571)	2,096	13.8	4	Malignant neoplasms, including neoplasms of		
8	Pneumonia and influenza (480-487)	1,657	10.9		lymphatic and hematopoietic tissues (140-208)	154	5
9	Suicide (E950-E959)	1,429	9.4	5	Diseases of heart (390-398,402,404-429)	80	2
0	Chronic obstructive pulmonary diseases	1,425	5.4	6	Congenital anomalies (740-759)	33	1
O	and allied conditions (490-496)	1,422	9.3	7	Cerebrovascular diseases (430-438)	21	0
	All other causes (Residual)	12,198	80.1	8	Chronic obstructive pulmonary diseases		
• •	7 th Other Gadood (Moddadi)	12,100	00.1		and allied conditions (490-496)	14	
	Hispanic, male, 1-4 years			9	Human immunodeficiency virus		
	riiopariio, maio, 1 1 youro				infection (*042-*044)	13	
	All causes	456	33.1	10	Pneumonia and influenza (480-487)	12	
 1	Accidents and adverse effects (E800-E949)	178	12.9		All other causes (Residual)	278	10
	Motor vehicle accidents (E810-E825)	84	6.1		, , , , , , , , , , , , , , , , , , , ,		
	All other accidents and adverse	04	0.1		Hispanic, male, 25-44 years		
	effects (E800-E807,E826-E949)	94	6.8		, , , , , , , , , , , , , , , , , , , ,		
2	Congenital anomalies (740-759)	52	3.8		All causes	9,235	184
3	Homicide and legal intervention (E960-E978)	30	2.2	1	Accidents and adverse effects (E800-E949)	2,655	53
3	Malignant neoplasms, including neoplasms of	30	2.2		Motor vehicle accidents (E810-E825)	1,232	24
0	lymphatic and hematopoietic tissues (140-208)	30	2.2		All other accidents and adverse	, -	
5	Pneumonia and influenza (480-487)	16	*		effects (E800-E807,E826-E949)	1,423	28
6	Septicemia (038)	12	*	2	Homicide and legal intervention (E960-E978)	1,072	21
6	Diseases of heart (390-398,402,404-429)	12	*	3	Human immunodeficiency virus	,-	
8	Benign neoplasms, carcinoma in situ, and	14		1	infection (*042-*044)	945	18
-	neoplasms of uncertain behavior and of			4	Diseases of heart (390-398,402,404-429)	735	14
	unspecified nature (210-239)	6	*	5	Malignant neoplasms, including neoplasms of	. 55	
9	Human immunodeficiency virus	O			lymphatic and hematopoietic tissues (140-208)	734	14
J	infection (*042-*044)	5	*	6	Suicide (E950-E959)	651	13
9	Cerebrovascular diseases (430-438)	5	*	7	Chronic liver disease and cirrhosis (571)	479	(
9	Chronic obstructive pulmonary diseases	5		8	Cerebrovascular diseases (430-438)	203	2
J		5	*	9	Viral hepatitis (070)	132	2
	and allied conditions (490-496)		7.6	10	Diabetes mellitus (250)	104	2
	All other causes (Kesidual)	105	0.1	1		1,525	30
 See foot	All other causes (Residual)tnotes at end of table.	105	7.6	10	All other causes (Residual)	1	

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Hispanic, male, 45-64 years				Hispanic, female, 1-4 years		
	All causes	13,181	633.5		All causes	363	27.0
1	Diseases of heart (390-398,402,404-429)	3,317	159.4	1	Accidents and adverse effects (E800-E949)	119	9.0
2	Malignant neoplasms, including neoplasms of				Motor vehicle accidents (E810-E825)	72	5.
_	lymphatic and hematopoietic tissues (140-208)	3,092	148.6		All other accidents and adverse	47	0.
3	Chronic liver disease and cirrhosis (571)	1,105 1,023	53.1 49.2	2	effects (E800-E807,E826-E949) Congenital anomalies (740-759)	47 40	3.0
	Motor vehicle accidents (E810-E825)	447	21.5	3	Malignant neoplasms, including neoplasms of	40	3.0
	All other accidents and adverse	777	21.0		lymphatic and hematopoietic tissues (140-208)	28	2.
	effects (E800-E807,E826-E949)	576	27.7	4	Homicide and legal intervention (E960-E978)	24	1.8
5	Cerebrovascular diseases (430-438)	692	33.3	5 6	Diseases of heart (390-398,402,404-429)	15	
6	Diabetes mellitus (250)	665	32.0	6	Pneumonia and influenza (480-487)	10	
7	Human immunodeficiency virus			7	Septicemia (038)	9	
0	infection (*042-*044)	384	18.5	8 9	Cerebrovascular diseases (430-438)	4	
8 9	Pneumonia and influenza (480-487) Suicide (E950-E959)	248 240	11.9 11.5	9	Chronic obstructive pulmonary diseases and allied conditions (490-496)	3	
	Homicide and legal intervention (E960-E978)	188	9.0	9	Certain conditions originating in the perinatal	3	
	All other causes (Residual)	2,227	107.0		period (760-779)	3	
	,	,		9	Human immunodeficiency virus		
	Hispanic, male, 65 years and over				infection (*042-*044)	3	
	• "			9	Meningitis (320-322)	3	
	All causes	26,309	3,550.2	9	Anemias (280-285)	3	7.
1 2	Diseases of heart (390-398,402,404-429)	8,706	1,174.8		All other causes (Residual)	99	7.3
2	lymphatic and hematopoietic tissues (140-208)	6,354	857.4		Hispanic, female, 5-14 years		
3	Cerebrovascular diseases (430-438)	1,682	227.0		i nopalno, romaio, o 11 yeare		
4	Diabetes mellitus (250)	1,429	192.8		All causes	396	14.
5	Pneumonia and influenza (480-487)	1,233	166.4	1	Accidents and adverse effects (E800-E949)	124	4.4
6	Chronic obstructive pulmonary diseases				Motor vehicle accidents (E810-E825)	85	3.0
-	and allied conditions (490-496)	1,157	156.1		All other accidents and adverse	00	
7	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	576 232	77.7 31.3	2	effects (E800-E807,E826-E949)	39	1.4
	All other accidents and adverse	232	31.3		lymphatic and hematopoietic tissues (140-208)	71	2.
	effects (E800-E807,E826-E949)	344	46.4	3	Congenital anomalies (740-759)	27	1.0
8	Chronic liver disease and cirrhosis (571)	509	68.7	4	Homicide and legal intervention (E960-E978)	26	0.9
9	Nephritis, nephrotic syndrome, and			5	Diseases of heart (390-398,402,404-429)	13	
	nephrosis (580-589)	345	46.6	6	Suicide (E950-E959)	10	
10	Septicemia (038)	277	37.4	7 8	Pneumonia and influenza (480-487)	8	
	All other causes (Residual)	4,041	545.3	0	Chronic obstructive pulmonary diseases and allied conditions (490-496)	6	
	Hispanic, female, all ages ³			9	Benign neoplasms, carcinoma in situ, and	0	
	r noparno, romaio, an agoo				neoplasms of uncertain behavior and of		
	All causes	42,585	283.6		unspecified nature (210-239)	5	
1	Diseases of heart (390-398,402,404-429)	11,664	77.7	10	Septicemia (038)	4	
2	Malignant neoplasms, including neoplasms of	0.000	00.4		All other causes (Residual)	102	3.0
3	lymphatic and hematopoietic tissues (140-208) Cerebrovascular diseases (430-438)	9,063	60.4 19.6		Hispanic, female, 15-24 years		
4	Diabetes mellitus (250)	2,941 2,538	16.9		r lispanic, remaie, 15-24 years		
5	Accidents and adverse effects (E800-E949)	2,019	13.4		All causes	867	34.0
	Motor vehicle accidents (E810-E825)	1,171	7.8	1	Accidents and adverse effects (E800-E949)	348	13.
	All other accidents and adverse	,			Motor vehicle accidents (E810-E825)	291	11.4
	effects (E800-E807,E826-E949)	848	5.6		All other accidents and adverse		
6	Pneumonia and influenza (480-487)	1,620	10.8		effects (E800-E807,E826-E949)	57	2.:
1	Chronic obstructive pulmonary diseases	4.400	7.4	2 3	Homicide and legal intervention (E960-E978) Malignant neoplasms, including neoplasms of	106	4.2
8	and allied conditions (490-496) Certain conditions originating in the perinatal	1,106	7.4		lymphatic and hematopoietic tissues (140-208)	87	3.4
U	period (760-779)	864	5.8	4	Suicide (E950-E959)	71	2.8
9	Chronic liver disease and cirrhosis (571)	749	5.0	5	Diseases of heart (390-398,402,404-429)	34	1.3
10	Congenital anomalies (740-759)	722	4.8	6	Congenital anomalies (740-759)	19	
	All other causes (Residual)	9,299	61.9	7	Cerebrovascular diseases (430-438)	11	
Son fort	notes at and of table			7	Complications of pregnancy, childbirth, and the puerperium (630-676)	4.4	
See 1001	notes at end of table.			9	Pneumonia and influenza (480-487)	11 10	
				10	Diabetes mellitus (250)	9	
					All other causes (Residual)	161	6.3

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Hispanic, female, 25-44 years				Total non-Hispanic ⁴ , both sexes, all ages ³		
	All causes	3,428	72.6		All causes	2,230,127	929.0
1	Malignant neoplasms, including neoplasms of			1	Diseases of heart (390-398,402,404-429)	697,516	290.6
0	lymphatic and hematopoietic tissues (140-208)	903	19.1	2	Malignant neoplasms, including neoplasms of		
2	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	592 376	12.5 8.0		lymphatic and hematopoietic tissues (140-208)	520,483	216.8
	All other accidents and adverse	3/6	0.0	3 4	Cerebrovascular diseases (430-438) Chronic obstructive pulmonary diseases	152,418	63.5
	effects (E800-E807.E826-E949)	216	4.6	-	and allied conditions (490-496)	109,703	45.7
3	Diseases of heart (390-398,402,404-429)	267	5.7	5	Accidents and adverse effects (E800-E949)	89.069	37.1
4	Human immunodeficiency virus				Motor vehicle accidents (E810-E825)	38,984	16.2
_	infection (*042-*044)	236	5.0		All other accidents and adverse		
5	Homicide and legal intervention (E960-E978)	201	4.3		effects (E800-E807,E826-E949)	50,085	20.9
6 7	Cerebrovascular diseases (430-438) Suicide (E950-E959)	142 104	3.0 2.2	6	Pneumonia and influenza (480-487)	88,280	36.8
8	Chronic liver disease and cirrhosis (571)	98	2.1	7 8	Diabetes mellitus (250)	59,808 28.721	24.9 12.0
9	Diabetes mellitus (250)	78	1.7	9	Nephritis, nephrotic syndrome, and	20,721	12.0
10	Chronic obstructive pulmonary diseases				nephrosis (580-589)	25,139	10.5
	and allied conditions (490-496)	49	1.0	10	Septicemia (038)	22,754	9.5
	All other causes (Residual)	758	16.1		All other causes (Residual)	436,236	181.7
	Hispanic, female, 45-64 years				Total non-Hispanic ⁴ , both sexes, 1-4 years		
	All causes	7,828	346.1		All causes	4,409	35.3
1	Malignant neoplasms, including neoplasms of			1	Accidents and adverse effects (E800-E949)	1.633	13.1
	lymphatic and hematopoietic tissues (140-208)	2,844	125.8		Motor vehicle accidents (E810-E825)	600	4.8
2	Diseases of heart (390-398,402,404-429)	1,484	65.6		All other accidents and adverse		
3	Diabetes mellitus (250)	575	25.4		effects (E800-E807,E826-E949)	1,033	8.3
2 3 4 5	Cerebrovascular diseases (430-438)	457 355	20.2 15.7	2 3	Congenital anomalies (740-759)	468 345	3.7 2.8
	Motor vehicle accidents (E810-E825)	218	9.6	4	Malignant neoplasms, including neoplasms of	343	2.0
	All other accidents and adverse	2.0	0.0	-	lymphatic and hematopoietic tissues (140-208)	304	2.4
	effects (E800-E807,E826-E949)	137	6.1	5	Diseases of heart (390-398,402,404-429)	186	1.5
6	Chronic liver disease and cirrhosis (571)	275	12.2	6	Pneumonia and influenza (480-487)	119	1.0
7	Chronic obstructive pulmonary diseases		0.4	7	Certain conditions originating in the perinatal		
8	and allied conditions (490-496) Pneumonia and influenza (480-487)	144 122	6.4 5.4		period (760-779)	68	0.5
9	Human immunodeficiency virus	122	5.4	8 9	Septicemia (038) Cerebrovascular diseases (430-438)	67 47	0.5 0.4
5	infection (*042-*044)	110	4.9	10	Benign neoplasms, carcinoma in situ, and	47	0.4
10	Viral hepatitis (070)	95	4.2	"	neoplasms of uncertain behavior and of		
	All other causes (Residual)	1,367	60.4		unspecified nature (210-239)	45	0.4
	Hispanic, female, 65 years and over				All other causes (Residual)	1,127	9.0
	• • •				Total non-Hispanic ⁴ , both sexes, 5-14 years		
	All causes	27,753	2,716.3		All	0.704	00.0
1 2	Diseases of heart (390-398,402,404-429)	9,807	959.8	1	All causesAccidents and adverse effects (E800-E949)	6,781 2.878	20.3 8.6
2	lymphatic and hematopoietic tissues (140-208)	5,125	501.6		Motor vehicle accidents (E810-E825)	1,632	4.9
3	Cerebrovascular diseases (430-438)	2.306	225.7		All other accidents and adverse	1,002	4.3
4	Diabetes mellitus (250)	1,875	183.5		effects (E800-E807,E826-E949)	1,246	3.7
5	Pneumonia and influenza (480-487)	1,389	135.9	2	Malignant neoplasms, including neoplasms of		
6	Chronic obstructive pulmonary diseases	000	07.7	_	lymphatic and hematopoietic tissues (140-208)	844	2.5
7	and allied conditions (490-496)	896	87.7	3	Homicide and legal intervention (E960-E978)	390	1.2
	Accidents and adverse effects (E800-E949)	422 114	41.3 11.2	4 5	Congenital anomalies (740-759) Suicide (E950-E959)	315 295	0.9 0.9
	All other accidents and adverse	114	11.2	6	Diseases of heart (390-398,402,404-429)	295 286	0.9
	effects (E800-E807,E826-E949)	308	30.1	7	Chronic obstructive pulmonary diseases	200	0.3
8	Chronic liver disease and cirrhosis (571)	373	36.5	Ι΄.	and allied conditions (490-496)	137	0.4
9	Nephritis, nephrotic syndrome, and			8	Pneumonia and influenza (480-487)	107	0.3
40	nephrosis (580-589)	364	35.6	9	Cerebrovascular diseases (430-438)	77	0.2
10	All other courses (Basidual)	317	31.0	10	Benign neoplasms, carcinoma in situ, and		
	All other causes (Residual)	4,879	477.5		neoplasms of uncertain behavior and of	75	0.0
See foo	tnotes at end of table.				unspecified nature (210-239)	75 1.377	0.2 4.1
				1	, 5 oaaooo (1 toolaadi)	1,011	-

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
1	Fotal non-Hispanic ⁴ , both sexes, 15-24 years			Tot	al non-Hispanic ⁴ , both sexes, 65 years and over		
	All causes	26,070	81.7		All causes	1,693,753	5,189.5
1	Accidents and adverse effects (E800-E949)	11,514	36.1	1	Diseases of heart (390-398,402,404-429)	584,993	1,792.3
	Motor vehicle accidents (E810-E825)	8,711	27.3	2	Malignant neoplasms, including neoplasms of	274 702	1.138.9
	All other accidents and adverse	2.002	0.0	3	lymphatic and hematopoietic tissues (140-208) Cerebrovascular diseases (430-438)	371,702 134,791	413.
2	effects (E800-E807,E826-E949) Homicide and legal intervention (E960-E978)	2,803 4,218	8.8 13.2	4	Chronic obstructive pulmonary diseases	134,791	413.
	Suicide (E950-E959)	3,678	11.5	7	and allied conditions (490-496)	95.548	292.
	Malignant neoplasms, including neoplasms of	3,070	11.5	5	Pneumonia and influenza (480-487)	80.124	245.
7	lymphatic and hematopoietic tissues (140-208)	1,453	4.6	6	Diabetes mellitus (250)	45,527	139.
5	Diseases of heart (390-398,402,404-429)	939	2.9	7	Accidents and adverse effects (E800-E949)	31,865	97.6
	Congenital anomalies (740-759)	398	1.2		Motor vehicle accidents (E810-E825)	7,773	23.
	Chronic obstructive pulmonary diseases				All other accidents and adverse		
	and allied conditions (490-496)	217	0.7		effects (E800-E807,E826-E949)	24,092	73.8
8	Pneumonia and influenza (480-487)	191	0.6	8	Alzheimer's disease (331.0)	21,892	67.
9	Human immunodeficiency virus			9	Nephritis, nephrotic syndrome, and	04.000	07
	infection (*042-*044)	170	0.5	40	nephrosis (580-589)	21,860	67.
10	Cerebrovascular diseases (430-438)	146	0.5	10	Septicemia (038)	18,389 287,062	56. 879.
	All other causes (Residual)	3,146	9.9			201,002	019.
7	Total non-Hispanic ⁴ , both sexes, 25-44 years				Total non-Hispanic ⁴ , male, all ages ³		
	All causes	117,972	160.4		All causes	1,096,677	938.
1	Accidents and adverse effects (E800-E949)	23,739	32.3	1	Diseases of heart (390-398,402,404-429)	339,556	290.7
	Motor vehicle accidents (E810-E825)	12,419	16.9	2	Malignant neoplasms, including neoplasms of	070 700	004
	All other accidents and adverse			3	lymphatic and hematopoietic tissues (140-208)	270,793	231.8 49.9
0	effects (E800-E807,E826-E949)	11,320	15.4	4	Cerebrovascular diseases (430-438) Accidents and adverse effects (E800-E949)	58,328 56,425	49.
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,710	26.8		Motor vehicle accidents (E810-E825)	25,693	22.
3	Diseases of heart (390-398,402,404-429)	15,731	20.8		All other accidents and adverse	25,035	22.
	Suicide (E950-E959)	11,393	15.5		effects (E800-E807,E826-E949)	30,732	26.
	Human immunodeficiency virus	11,000	10.0	5	Chronic obstructive pulmonary diseases	,	
-	infection (*042-*044)	7,382	10.0		and allied conditions (490-496)	55,402	47.
6	Homicide and legal intervention (E960-E978)	6,805	9.2	6	Pneumonia and influenza (480-487)	39,187	33.
7	Chronic liver disease and cirrhosis (571)	3,275	4.5	7	Diabetes mellitus (250)	27,274	23.
	Cerebrovascular diseases (430-438)	2,961	4.0	8	Suicide (E950-E959)	22,976	19.
9	Diabetes mellitus (250)	2,328	3.2	9	Chronic liver disease and cirrhosis (571)	14,145	12.
	Pneumonia and influenza (480-487)	1,774	2.4	10	Nephritis, nephrotic syndrome, and	40.040	40
	All other causes (Residual)	22,874	31.1		nephrosis (580-589)	12,042 200,549	10.3 171.
7	Fotal non-Hispanic ⁴ , both sexes, 45-64 years				,	200,549	171.
	All causes	357,404	675.4		Total non-Hispanic ⁴ , male, 1-4 years		
	Malignant neoplasms, including neoplasms of	557, 104	5.5.7		All causes	2,449	38.3
•	lymphatic and hematopoietic tissues (140-208)	126,393	238.8	1	Accidents and adverse effects (E800-E949)	972	15.3
2	Diseases of heart (390-398,402,404-429)	94,825	179.2		Motor vehicle accidents (E810-E825)	329	5.
3	Accidents and adverse effects (E800-E949)	16,790	31.7		All other accidents and adverse		
	Motor vehicle accidents (E810-E825)	7,720	14.6		effects (E800-E807,E826-E949)	643	10.
	All other accidents and adverse			2	Congenital anomalies (740-759)	234	3.
	effects (E800-E807,E826-E949)	9,070	17.1	3	Homicide and legal intervention (E960-E978)	193	3.
	Cerebrovascular diseases (430-438)	14,155	26.7	4	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	156	2.
5	Chronic obstructive pulmonary diseases	12.620	22.0	5	Diseases of heart (390-398,402,404-429)	101	2. [.] 1.
6	and allied conditions (490-496)	12,620 11.803	23.8 22.3	6	Pneumonia and influenza (480-487)	56	0.
	Diabetes mellitus (250)	9,577	22.3 18.1	7	Septicemia (038)	42	0.
	Suicide (E950-E959)	9,577 7,745	14.6	8	Certain conditions originating in the perinatal	72	0.
	Pneumonia and influenza (480-487)	5,609	10.6	-	period (760-779)	33	0.
	Human immunodeficiency virus	5,505	10.0	9	Chronic obstructive pulmonary diseases		
	infection (*042-*044)	3,537	6.7		and allied conditions (490-496)	28	0.
	All other causes (Residual)	54,350	102.7	10	Meningitis (320-322)		0.4
	,	- /	-		All other causes (Residual)	609	9.

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for				Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for		
Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹		Number ²	Rate ²
	Total non-Hispanic ⁴ , male, 5-14 years				Total non-Hispanic ⁴ , male, 45-64 years		
		4.004	22.0			247 427	0.40.5
1	All causes	4,084 1,838	23.8 10.7	1	All causesMalignant neoplasms, including neoplasms of	217,437	848.5
	Motor vehicle accidents (E810-E825)	995	5.8		lymphatic and hematopoietic tissues (140-208)	67,402	263.0
	All other accidents and adverse			2	Diseases of heart (390-398,402,404-429)	66,447	259.3
_	effects (E800-E807,E826-E949)	843	4.9	3	Accidents and adverse effects (E800-E949)	11,852	46.3
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	486	2.8		Motor vehicle accidents (E810-E825)	5,190	20.3
3	Suicide (E950-E959)	222	1.3		effects (E800-E807,E826-E949)	6,662	26.0
4	Homicide and legal intervention (E960-E978)	213	1.2	4	Cerebrovascular diseases (430-438)	7,736	30.2
	Congenital anomalies (740-759)	169	1.0	5	Chronic liver disease and cirrhosis (571)	6,866	26.8
6	Diseases of heart (390-398,402,404-429)	164	1.0	6	Chronic obstructive pulmonary diseases	0,000	20.0
	Chronic obstructive pulmonary diseases				and allied conditions (490-496)	6,528	25.5
	and allied conditions (490-496)	79	0.5	7	Diabetes mellitus (250)`	6,443	25.1
8	Pneumonia and influenza (480-487)	52	0.3	8	Suicide (E950-E959)	5,921	23.1
9	Cerebrovascular diseases (430-438)	44	0.3	9	Pneumonia and influenza (480-487)	3,310	12.9
10	Benign neoplasms, carcinoma in situ, and			10	Human immunodeficiency virus	0.040	
	neoplasms of uncertain behavior and of	40	0.0		infection (*042-*044)	2,910	11.4
	unspecified nature (210-239)	42 775	0.2 4.5		,	32,022	125.0
	Total non-Hispanic ⁴ , male, 15-24 years				Total non-Hispanic ⁴ , male, 65 years and over		
	,, , , , , , ,				All causes	763,807	5,675.7
	All causes	19,064	117.0	1	Diseases of heart (390-398,402,404-429)	260,954	1,939.1
1	Accidents and adverse effects (E800-E949)	8,414	51.6	2	Malignant neoplasms, including neoplasms of		
	Motor vehicle accidents (E810-E825)	6,094	37.4		lymphatic and hematopoietic tissues (140-208)	192,910	1,433.5
	All other accidents and adverse effects (E800-E807,E826-E949)	2,320	14.2	3 4	Cerebrovascular diseases (430-438) Chronic obstructive pulmonary diseases	48,809	362.7
2	Homicide and legal intervention (E960-E978)	2,320 3.545	21.8	4	and allied conditions (490-496)	48.061	357.1
3	Suicide (E950-E959)	3,149	19.3	5	Pneumonia and influenza (480-487)	34,468	256.1
	Malignant neoplasms, including neoplasms of	0,110	10.0	6	Diabetes mellitus (250)	19,363	143.9
	lymphatic and hematopoietic tissues (140-208)	872	5.4	7	Accidents and adverse effects (E800-E949)	15,534	115.4
	Diseases of heart (390-398,402,404-429)	590	3.6		Motor vehicle accidents (E810-E825)	4,305	32.0
	Congenital anomalies (740-759)	223	1.4		All other accidents and adverse		
7	Chronic obstructive pulmonary diseases			_	effects (E800-E807,E826-E949)	11,229	83.4
	and allied conditions (490-496)	134	0.8	8	Nephritis, nephrotic syndrome, and	40.407	75.5
8	Pneumonia and influenza (480-487)	97 88	0.6 0.5	9	nephrosis (580-589)	10,167	75.5 54.8
9 10	Cerebrovascular diseases (430-438)	00	0.5	10	Septicemia (038)	7,370 6,735	50.0
10	infection (*042-*044)	78	0.5	'	All other causes (Residual)	119,436	887.5
	All other causes (Residual)	1,874	11.5		,	110,100	007.0
	Total non-Hispanic ⁴ , male, 25-44 years				Total non-Hispanic ⁴ , female, all ages ³		
		70.500	040 =		All causes	1,133,450	919.7
	All causes	76,590	210.7	1	Diseases of heart (390-398,402,404-429)	357,960	290.5
	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	17,430	47.9	2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	249.690	202.6
	All other accidents and adverse	8,710	24.0	3	Cerebrovascular diseases (430-438)	249,690 94,090	76.3
	effects (E800-E807,E826-E949)	8,720	24.0	4	Chronic obstructive pulmonary diseases	94,090	70.3
2	Diseases of heart (390-398,402,404-429)	11.013	30.3	"	and allied conditions (490-496)	54.301	44.1
3	Suicide (E950-E959)	9,001	24.8	5	Pneumonia and influenza (480-487)	49.093	39.8
	Malignant neoplasms, including neoplasms of	-,		6	Accidents and adverse effects (E800-E949)	32,644	26.5
	lymphatic and hematopoietic tissues (140-208)	8,925	24.6		Motor vehicle accidents (E810-E825)	13,291	10.8
5	Human immunodeficiency virus				All other accidents and adverse		
_	infection (*042-*044)	5,499	15.1	1 _	effects (E800-E807,E826-E949)	19,353	15.7
	Homicide and legal intervention (E960-E978)	5,096	14.0	7	Diabetes mellitus (250)	32,534	26.4
7	Chronic liver disease and cirrhosis (571)	2,169	6.0	8	Alzheimer's disease (331.0)	15,317	12.4
	Cerebrovascular diseases (430-438)	1,495	4.1	9	Nephritis, nephrotic syndrome, and	42.007	40.0
9 10	Diabetes mellitus (250)	1,397 1,007	3.8 2.8	10	nephrosis (580-589)	13,097 13,047	10.6 10.6
	All other causes (Residual)	13,558	37.3	10	Septicemia (038)	221,677	179.9
	, iii otiloi oddoos (itosidddi)	10,000	07.0		/ iii otilor oddood (reosiddai)	221,011	173.3

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

Rank¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Total non-Hispanic ⁴ , female, 1-4 years				Total non-Hispanic ⁴ , female, 25-44 years		
	All causes	1,960	32.1		All causes	41,382	111.2
1	Accidents and adverse effects (E800-E949)	661	10.8	1	Malignant neoplasms, including neoplasms of	11,002	
	Motor vehicle accidents (E810-E825)	271	4.4		lymphatic and hematopoietic tissues (140-208)	10,785	29.0
	All other accidents and adverse	200	C 4	2	Accidents and adverse effects (E800-E949)	6,309	17.0
2	effects (E800-E807,E826-E949)	390 234	6.4 3.8		Motor vehicle accidents (E810-E825)	3,709	10.0
	Homicide and legal intervention (E960-E978)	152	2.5		All other accidents and adverse effects (E800-E807,E826-E949)	2,600	7.0
	Malignant neoplasms, including neoplasms of			3	Diseases of heart (390-398,402,404-429)	4,718	12.7
	lymphatic and hematopoietic tissues (140-208)	148	2.4	4	Suicide (E950-E959)	2,392	6.4
5	Diseases of heart (390-398,402,404-429)	85	1.4	5	Human immunodeficiency virus	2,002	0.
	Pneumonia and influenza (480-487)	63	1.0		infection (*042-*044)	1,883	5.1
7	Certain conditions originating in the perinatal period (760-779)	35	0.6	6	Homicide and legal intervention (E960-E978)	1,709	4.6
8	Cerebrovascular diseases (430-438)	27	0.6	7	Cerebrovascular diseases (430-438)	1,466	3.9
	Septicemia (038)	25	0.4	8 9	Chronic liver disease and cirrhosis (571) Diabetes mellitus (250)	1,106 931	3.0 2.5
	Benign neoplasms, carcinoma in situ, and			10	Pneumonia and influenza (480-487)	767	2.1
	neoplasms of uncertain behavior and of				All other causes (Residual)	9,316	25.0
	unspecified nature (210-239)	23	0.4			2,212	
	All other causes (Residual)	507	8.3		Total non-Hispanic ⁴ , female, 45-64 years		
	Total non-Hispanic ⁴ , female, 5-14 years				All causes	139,967	512.8
	All causes	2,697	16.5	1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	E9 001	216.1
	Accidents and adverse effects (E800-E949)	1,040	6.4	2	Diseases of heart (390-398,402,404-429)	58,991 28,378	104.0
	Motor vehicle accidents (E810-E825)	637	3.9	3	Cerebrovascular diseases (430-438)	6,419	23.5
	All other accidents and adverse			4	Chronic obstructive pulmonary diseases	0,	
,	effects (E800-E807,E826-E949)	403	2.5		and allied conditions (490-496)	6,092	22.3
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	358	2.2	5	Diabetes mellitus (250)	5,360	19.6
3	Homicide and legal intervention (E960-E978)	177	1.1	6	Accidents and adverse effects (E800-E949)	4,938	18.1
	Congenital anomalies (740-759)	146	0.9		Motor vehicle accidents (E810-E825)	2,530	9.3
5	Diseases of heart (390-398,402,404-429)	122	0.7		effects (E800-E807,E826-E949)	2,408	8.8
	Suicide (E950-E959)	73	0.4	7	Chronic liver disease and cirrhosis (571)	2,711	9.9
7	Chronic obstructive pulmonary diseases	50	0.4	8	Pneumonia and influenza (480-487)	2,299	8.4
	and allied conditions (490-496)Pneumonia and influenza (480-487)	58 55	0.4	9	Suicide (E950-E959)	1,824	6.7
	Cerebrovascular diseases (430-438)	55 33	0.3 0.2	10	Septicemia (038)	1,456	5.3
	Benign neoplasms, carcinoma in situ, and	33	0.2		All other causes (Residual)	21,499	78.8
	neoplasms of uncertain behavior and of			-	otal non-Hispanic ⁴ , female, 65 years and over		
	unspecified nature (210-239)	33	0.2	'	otal flori-filspanic -, female, 65 years and over		
	All other causes (Residual)	602	3.7		All causes	929,946	4,848.3
	Total non Hispania 4 famala 45 34 years			1	Diseases of heart (390-398,402,404-429)	324,039	1,689.4
	Total non-Hispanic ⁴ , female, 15-24 years			2	Malignant neoplasms, including neoplasms of		
	All causes	7,006	44.8		lymphatic and hematopoietic tissues (140-208)	178,792	932.1
	Accidents and adverse effects (E800-E949)	3,100	19.8	3 4	Cerebrovascular diseases (430-438) Chronic obstructive pulmonary diseases	85,982	448.3
	Motor vehicle accidents (E810-E825)	2,617	16.7	4	and allied conditions (490-496)	47,487	247.6
	All other accidents and adverse			5	Pneumonia and influenza (480-487)	45,656	238.0
	effects (E800-E807,E826-E949)	483	3.1	6	Diabetes mellitus (250)	26,164	136.4
	Homicide and legal intervention (E960-E978)	673	4.3	7	Accidents and adverse effects (E800-E949)	16,331	85.1
3	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	581	3.7		Motor vehicle accidents (E810-E825)	3,468	18.1
1	Suicide (E950-E959)	529	3.4		All other accidents and adverse	40.000	07.4
	Diseases of heart (390-398,402,404-429)	349	2.2	8	effects (E800-E807,E826-E949) Alzheimer's disease (331.0)	12,863 15,157	67.1 79.0
6	Congenital anomalies (740-759)	175	1.1	9	Nephritis, nephrotic syndrome, and	15,157	79.0
	Pneumonia and influenza (480-487)	94	0.6		nephrosis (580-589)	11,693	61.0
В	Human immunodeficiency virus		0.0	10	Septicemia (038)	11,019	57.4
2	infection (*042-*044)	92	0.6		All other causes (Residual)	167,626	873.9
9	Chronic obstructive pulmonary diseases and allied conditions (490-496)	83	0.5		•		
)	Diabetes mellitus (250)	66	0.5 0.4				
	All other causes (Residual)	1,264	8.1				
•		.,_0 .	0.1	1			

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
	Diseases, 1975), Hispanic origin, race for				Diseases, 1975), Hispanic origin, race for		
Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²
	White non-Hispanic, both sexes, all ages ³				White non-Hispanic, both sexes, 15-24 years		
	All causes	1,912,802	978.7		All causes	17,901	72.3
1	Diseases of heart (390-398,402,404-429)	609,256	311.7	1	Accidents and adverse effects (E800-E949)	9,383	37.9
2	Malignant neoplasms, including neoplasms of	000,200	0		Motor vehicle accidents (E810-E825)	7,206	29.
	lymphatic and hematopoietic tissues (140-208)	449,785	230.1		All other accidents and adverse	.,200	
3	Cerebrovascular diseases (430-438)	131,039	67.0		effects (E800-E807,E826-E949)	2,177	8.8
4	Chronic obstructive pulmonary diseases			2	Suicide (E950-E959)	2,990	12.1
-	and allied conditions (490-496)	101,274	51.8	3	Malignant neoplasms, including neoplasms of		
5 6	Pneumonia and influenza (480-487)	78,174	40.0	١.	lymphatic and hematopoietic tissues (140-208)	1,131	4.6
	Motor vehicle accidents (E810-E949)	73,669 31,791	37.7 16.3	4	Homicide and legal intervention (E960-E978)	1,039	4.2
	All other accidents and adverse	31,791	10.3	5 6	Diseases of heart (390-398,402,404-429)	583	2.4
	effects (E800-E807,E826-E949)	41,878	21.4	7	Congenital anomalies (740-759) Pneumonia and influenza (480-487)	274 116	1.1 0.5
7	Diabetes mellitus (250)	46,884	24.0	8	Chronic obstructive pulmonary diseases	110	0.0
8	Suicide (E950-E959)	25,846	13.2		and allied conditions (490-496)	109	0.4
9	Alzheimer's disease (331.0)	20,834	10.7	9	Cerebrovascular diseases (430-438)	96	0.4
10	Nephritis, nephrotic syndrome, and			10	Benign neoplasms, carcinoma in situ, and		
	nephrosis (580-589)	20,372	10.4		neoplasms of uncertain behavior and of		
	All other causes (Residual)	355,669	182.0		unspecified nature (210-239)	80	0.3
	White non-Hispanic, both sexes, 1-4 years				All other causes (Residual)	2,100	8.8
	All causes	2.026	29.4		White non-Hispanic, both sexes, 25-44 years		
1	Accidents and adverse effects (E800-E949)	2,826			All	00.540	400
	Motor vehicle accidents (E810-E949)	1,097 381	11.4 4.0	1 - 12 -	All causes	82,512	139.4
	All other accidents and adverse	301	4.0	1	Accidents and adverse effects (E800-E949)	18,678	31.6
	effects (E800-E807,E826-E949)	716	7.5		Motor vehicle accidents (E810-E825)	9,715	16.4
2	Congenital anomalies (740-759)	314	3.3		All other accidents and adverse effects (E800-E807,E826-E949)	8,963	15.
3	Malignant neoplasms, including neoplasms of	0	0.0	2	Malignant neoplasms, including neoplasms of	0,903	15.
	lymphatic and hematopoietic tissues (140-208)	230	2.4	-	lymphatic and hematopoietic tissues (140-208)	14.997	25.3
4	Homicide and legal intervention (E960-E978)	150	1.6	3	Diseases of heart (390-398,402,404-429)	10,825	18.3
5	Diseases of heart (390-398,402,404-429)	111	1.2	4	Suicide (E950-E959)	10,046	17.0
6	Pneumonia and influenza (480-487)	73	8.0	5	Human immunodeficiency virus		
7	Septicemia (038)	43	0.4		infection (*042-*044)	2,814	4.8
8	Certain conditions originating in the perinatal	44	0.4	6	Homicide and legal intervention (E960-E978)	2,795	4.7
9	period (760-779)	41	0.4	7	Chronic liver disease and cirrhosis (571)	2,549	4.3
10	Benign neoplasms, carcinoma in situ, and	32	0.3	8	Cerebrovascular diseases (430-438)	1,792	3.0
10	neoplasms of uncertain behavior and of			9	Diabetes mellitus (250)	1,585	2.7 1.9
	unspecified nature (210-239)	31	0.3	1	Pneumonia and influenza (480-487)All other causes (Residual)	1,123 15,308	25.9
	All other causes (Residual)	704	7.3		All other causes (Residual)	15,306	25.8
	White non-Hispanic, both sexes, 5-14 years				White non-Hispanic, both sexes, 45-64 years		
	• • • • • • • • • • • • • • • • • • • •				All causes	279,624	623.1
	All causes	4,631	18.0	1	Malignant neoplasms, including neoplasms of	5,0_ /	525.
1	Accidents and adverse effects (E800-E949)	1,972	7.7		lymphatic and hematopoietic tissues (140-208)	103,225	230.0
	Motor vehicle accidents (E810-E825)	1,173	4.6	2	Diseases of heart (390-398,402,404-429)	73,788	164.4
	All other accidents and adverse	700	2.4	3	Accidents and adverse effects (E800-E949)	13,364	29.8
2	effects (E800-E807,E826-E949)	799	3.1		Motor vehicle accidents (E810-E825)	6,286	14.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	642	2.5		All other accidents and adverse	7.070	45.
3	Suicide (E950-E959)	245	1.0	1	effects (E800-E807,E826-E949)	7,078	15.8
4	Congenital anomalies (740-759)	219	0.9	4	Chronic obstructive pulmonary diseases and allied conditions (490-496)	10,910	24.3
5	Homicide and legal intervention (E960-E978)		0.8	5	Cerebrovascular diseases (430-438)		24.3
6	Diseases of heart (390-398,402,404-429)	184	0.7	6	Diabetes mellitus (250)	8,183	18.
7	Pneumonia and influenza (480-487)	75	0.3	7	Chronic liver disease and cirrhosis (571)	7,736	17.2
8	Chronic obstructive pulmonary diseases			8	Suicide (E950-E959)	7,209	16.
	and allied conditions (490-496)	64	0.2	9	Pneumonia and influenza (480-487)	4,207	9.4
9	Cerebrovascular diseases (430-438)	53	0.2	10	Septicemia (038)	2,071	4.6
10	Benign neoplasms, carcinoma in situ, and				All other causes (Residual)	39,352	87.
	neoplasms of uncertain behavior and of	40			,	*	
	unspecified nature (210-239)	49	0.2				
	All other causes (Residual)	930	3.6	1			

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
Wh	ite non-Hispanic, both sexes, 65 years and over				White non Higheria male E 14 years		
	All course	4 544 005	E 044 0		White non-Hispanic, male, 5-14 years		
 1	All causes	1,511,095 523,431	5,211.8 1,805.3		All causes	2,959	22.
	Malignant neoplasms, including neoplasms of	525,451	1,005.5	1	Accidents and adverse effects (E800-E949)	1,347	10.
_	lymphatic and hematopoietic tissues (140-208)	329,496	1,136.4		Motor vehicle accidents (E810-E825)	773	5.
3	Cerebrovascular diseases (430-438)	119,353	411.7		All other accidents and adverse		
	Chronic obstructive pulmonary diseases	,			effects (E800-E807,E826-E949)	574	4
	and allied conditions (490-496)	89,513	308.7	2	Malignant neoplasms, including neoplasms of	000	0
5	Pneumonia and influenza (480-487)	72,406	249.7	3	lymphatic and hematopoietic tissues (140-208) Suicide (E950-E959)	380 180	2 1
3	Diabetes mellitus (250)	37,021	127.7	4	Congenital anomalies (740-759)	153	1
7	Accidents and adverse effects (E800-E949)	28,768	99.2	5	Homicide and legal intervention (E960-E978)	116	0
	Motor vehicle accidents (E810-E825)	6,945	24.0	6	Diseases of heart (390-398,402,404-429)	112	ő
	All other accidents and adverse	04.000	75.0	7	Pneumonia and influenza (480-487)	40	Ö
n	effects (E800-E807,E826-E949)	21,823	75.3	8	Chronic obstructive pulmonary diseases		
	Alzheimer's disease (331.0)	20,562	70.9		and allied conditions (490-496)	33	0
9	nephrosis (580-589)	18,349	63.3	9	Cerebrovascular diseases (430-438)	28	0
0	Septicemia (038)	15,126	52.2	10	Benign neoplasms, carcinoma in situ, and		
	All other causes (Residual)	257,070	886.6		neoplasms of uncertain behavior and of		
	(,	, , , ,			unspecified nature (210-239)	18	4
	White non-Hispanic, male, all ages ³				All other causes (Residual)	552	4
	All causes	931,844	974.7		White non-Hispanic, male, 15-24 years		
	Diseases of heart (390-398,402,404-429)	296,161	309.8		All	40.000	400
	Malignant neoplasms, including neoplasms of	,		.;.	All causes	12,863	102
	lymphatic and hematopoietic tissues (140-208)	233,213	243.9	1	Accidents and adverse effects (E800-E949)	6,762	54
3	Chronic obstructive pulmonary diseases				Motor vehicle accidents (E810-E825)	5,027	40
	and allied conditions (490-496)	50,615	52.9		effects (E800-E807,E826-E949)	1,735	13
	Cerebrovascular diseases (430-438)	49,035	51.3	2	Suicide (E950-E959)	2,535	20
	Accidents and adverse effects (E800-E949)	45,968	48.1	3	Homicide and legal intervention (E960-E978)	818	6
	Motor vehicle accidents (E810-E825) All other accidents and adverse	20,776	21.7	4	Malignant neoplasms, including neoplasms of		
	effects (E800-E807,E826-E949)	25,192	26.4		lymphatic and hematopoietic tissues (140-208)	636	5
3	Pneumonia and influenza (480-487)	34,059	35.6	5	Diseases of heart (390-398,402,404-429)	363	2
	Diabetes mellitus (250)	21,991	23.0	6	Congenital anomalies (740-759)	149	1
	Suicide (E950-E959)	20,654	21.6	7	Chronic obstructive pulmonary diseases	7.5	
	Chronic liver disease and cirrhosis (571)	11,940	12.5		and allied conditions (490-496)	75	0
	Nephritis, nephrotic syndrome, and				Pneumonia and influenza (480-487) Cerebrovascular diseases (430-438)	67 65	0
	nephrosis (580-589)	9,905	10.4	10	Benign neoplasms, carcinoma in situ, and	00	U
	All other causes (Residual)	158,303	165.6	10	neoplasms of uncertain behavior and of		
	140.5				unspecified nature (210-239)	43	0
	White non-Hispanic, male, 1-4 years				All other causes (Residual)	1,350	10
	All causes	1,563	31.8		Military and 18 marsh 205 44 marsh		
	Accidents and adverse effects (E800-E949)	656	13.3		White non-Hispanic, male, 25-44 years		
	Motor vehicle accidents (E810-E825)	207	4.2		All causes	56,047	187
	All other accidents and adverse			1	Accidents and adverse effects (E800-E949)	13,857	46
_	effects (E800-E807,E826-E949)	449	9.1		Motor vehicle accidents (E810-E825)	6,818	22
	Congenital anomalies (740-759)	155	3.1		All other accidents and adverse	0,0.0	
3	Malignant neoplasms, including neoplasms of	117	2.4		effects (E800-E807,E826-E949)	7,039	23
ļ.	lymphatic and hematopoietic tissues (140-208) Homicide and legal intervention (E960-E978)	79	1.6	2	Suicide (E950-E959)	8,007	26
	Diseases of heart (390-398,402,404-429)	58	1.2	3	Diseases of heart (390-398,402,404-429)	7,994	26
	Pneumonia and influenza (480-487)	36	0.7	4	Malignant neoplasms, including neoplasms of		_
	Septicemia (038)	28	0.6	_	lymphatic and hematopoietic tissues (140-208)	6,967	23
	Meningitis (320-322)	21	0.4	5	Human immunodeficiency virus	0.000	
	Certain conditions originating in the perinatal				infection (*042-*044)	3,288	11
	period (760-779)	21	0.4	6 7	Homicide and legal intervention (E960-E978) Chronic liver disease and cirrhosis (571)	2,057 1,864	6
)	Benign neoplasms, carcinoma in situ, and			8	Diabetes mellitus (250)	1,864	3
	neoplasms of uncertain behavior and of			9	Cerebrovascular diseases (430-438)	938	3
	unspecified nature (210-239)	16	*	10	Pneumonia and influenza (480-487)	680	2
		376	7.6	1 .	All other causes (Residual)	9,454	31

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
	White non-Hispanic, male, 45-64 years				White non-Hispanic, female, 1-4 years		
	All causes	171,526	779.7		All courses	1.263	27.0
1	Malignant neoplasms, including neoplasms of			1	All causesAccidents and adverse effects (E800-E949)	441	9.4
_	lymphatic and hematopoietic tissues (140-208)	54,871	249.4		Motor vehicle accidents (E810-E825)	174	3.7
2	Diseases of heart (390-398,402,404-429)	53,316 9,395	242.4 42.7	1	All other accidents and adverse		
	Motor vehicle accidents (E810-E949)	9,395 4,226	42.7 19.2		effects (E800-E807,E826-E949)	267	5.7
	All other accidents and adverse	4,220	13.2	2	Congenital anomalies (740-759)	159	3.4
	effects (E800-E807,E826-E949)	5,169	23.5	3	Malignant neoplasms, including neoplasms of	440	2.4
4	Chronic obstructive pulmonary diseases	,		4	lymphatic and hematopoietic tissues (140-208) Homicide and legal intervention (E960-E978)	113 71	2.4 1.5
	and allied conditions (490-496)	5,611	25.5	5	Diseases of heart (390-398,402,404-429)	53	1.1
5	Chronic liver disease and cirrhosis (571)	5,580	25.4	6	Pneumonia and influenza (480-487)	37	0.8
6	Suicide (E950-E959)	5,518	25.1	7	Certain conditions originating in the perinatal	0.	0.0
7 8	Cerebrovascular diseases (430-438)	5,201 4,670	23.6 21.2		period (760-779)	20	0.4
	Diabetes mellitus (250)	4,670 2,441	11.1	8	Cerebrovascular diseases (430-438)	16	*
	Human immunodeficiency virus	۷,۳۳۱	11.1	9	Septicemia (038)	15	*
	infection (*042-*044)	1,207	5.5	9	Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of		
	All other causes (Residual)	23,716	107.8		unspecified nature (210-239)	15	*
,	White non-Hispanic, male, 65 years and over				All other causes (Residual)	323	6.9
	writte flori-i lispatilo, filale, oo years and over				White non-Hispanic, female, 5-14 years		
	All causes	680,678	5,670.4		Writte Hori-Hispanic, Terriale, 5-14 years		
1	Diseases of heart (390-398,402,404-429)	234,202	1,951.0		All causes	1,862	14.9
2	Malignant neoplasms, including neoplasms of	470 400	4 447 7	1	Accidents and adverse effects (E800-E949)	741	5.9
3	lymphatic and hematopoietic tissues (140-208) Chronic obstructive pulmonary diseases	170,180	1,417.7		Motor vehicle accidents (E810-E825)	479	3.8
3	and allied conditions (490-496)	44,561	371.2		All other accidents and adverse		
4	Cerebrovascular diseases (430-438)	42,722	355.9		effects (E800-E807,E826-E949)	262	2.1
	Pneumonia and influenza (480-487)	30,764	256.3	2	Malignant neoplasms, including neoplasms of	275	2.2
6	Diabetes mellitus (250)	16,307	135.8	3	lymphatic and hematopoietic tissues (140-208) Congenital anomalies (740-759)	275 108	0.9
7	Accidents and adverse effects (E800-E949)	13,887	115.7	4	Homicide and legal intervention (E960-E978)	99	0.8
	Motor vehicle accidents (E810-E825)	3,813	31.8	5	Diseases of heart (390-398,402,404-429)	75	0.6
	All other accidents and adverse	10,074	83.9	6	Suicide (E950-E959)	59	0.5
8	effects (E800-E807,E826-E949)	10,074	83.9	7	Pneumonia and influenza (480-487)	37	0.3
O	nephrosis (580-589)	8,751	72.9	8	Chronic obstructive pulmonary diseases		
9	Alzheimer's disease (331.0)	6,333	52.8	9	and allied conditions (490-496)	31 24	0.2
10	Septicemia (038)	6,103	50.8	10	Cerebrovascular diseases (430-438) Benign neoplasms, carcinoma in situ, and	24	0.2
	All other causes (Residual)	106,868	890.3	10	neoplasms of uncertain behavior and of		
	MILES 11 1 2				unspecified nature (210-239)	20	0.2
	White non-Hispanic, female, all ages ³				All other causes (Residual)	393	3.1
	All causes	980,958	982.5		White near Hispania female 45 04 years		
1	Diseases of heart (390-398,402,404-429)	313,095	313.6		White non-Hispanic, female, 15-24 years		
2	Malignant neoplasms, including neoplasms of				All causes	5,046	41.9
•	lymphatic and hematopoietic tissues (140-208)	216,572	216.9	1	Accidents and adverse effects (E800-E949)	2.582	21.4
3 4	Cerebrovascular diseases (430-438)	82,004	82.1		Motor vehicle accidents (E810-E825)	2,200	18.3
4	Chronic obstructive pulmonary diseases and allied conditions (490-496)	50,659	50.7		All other accidents and adverse		
5	Pneumonia and influenza (480-487)	44,115	44.2		effects (E800-E807,E826-E949)	382	3.2
6	Accidents and adverse effects (E800-E949)	27,701	27.7	2	Malignant neoplasms, including neoplasms of	437	0.0
	Motor vehicle accidents (E810-E825)	11,015	11.0	3	lymphatic and hematopoietic tissues (140-208) Suicide (E950-E959)	437	3.6 3.6
	All other accidents and adverse			4	Homicide and legal intervention (E960-E978)	430 297	2.5
-	effects (E800-E807,E826-E949)	16,686	16.7	5	Diseases of heart (390-398,402,404-429)	226	1.9
7	Diabetes mellitus (250)	24,893	24.9	6	Congenital anomalies (740-759)	126	1.0
8 9	Alzheimer's disease (331.0)	14,373	14.4	7	Pneumonia and influenza (480-487)	49	0.4
5	nephrosis (580-589)	10.467	10.5	8	Chronic obstructive pulmonary diseases		
10	Septicemia (038)	10,303	10.3		and allied conditions (490-496)	43	0.4
	All other causes (Residual)	186,776	187.1	9	Diabetes mellitus (250) Cerebrovascular diseases (430-438)	38 32	0.3 0.3
				10	All other causes (Residual)	786	6.5
See foot	tnotes at end of table.			1		, 00	0.0

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
	White non-Hispanic, female, 25-44 years				Black non-Hispanic, both sexes, all ages ³		
	All causes	27,989	94.6		All causes	275,264	841.3
1	Malignant neoplasms, including neoplasms of	0.046	27.2	1	Diseases of heart (390-398,402,404-429)	77,434	236.7
2	lymphatic and hematopoietic tissues (140-208) Accidents and adverse effects (E800-E949)	8,046 4,933	27.2 16.7	2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	60.642	185.3
	Motor vehicle accidents (E810-E825)	2,936	9.9	3	Cerebrovascular diseases (430-438)	18,067	55.2
	All other accidents and adverse	2,550	5.5	4	Accidents and adverse effects (E800-E949)	12.617	38.6
	effects (E800-E807,E826-E949)	1,997	6.7		Motor vehicle accidents (E810-E825)	5,607	17.1
3	Diseases of heart (390-398,402,404-429)	2,882	9.7		All other accidents and adverse	,	
4	Suicide (E950-E959)	2,137	7.2		effects (E800-E807,E826-E949)	7,010	21.4
5 6	Homicide and legal intervention (E960-E978)	889	3.0	5	Diabetes mellitus (250)	11,278	34.5
6	Cerebrovascular diseases (430-438)	860	2.9	6	Homicide and legal intervention (E960-E978)	8,282	25.3
	Chronic liver disease and cirrhosis (571)	826	2.8	7	Pneumonia and influenza (480-487)	8,246	25.2
	Diabetes mellitus (250)	617	2.1	8	Chronic obstructive pulmonary diseases	7.404	04.6
	Pneumonia and influenza (480-487)	505	1.7	9	and allied conditions (490-496)	7,131	21.8
10	Human immunodeficiency virus infection (*042-*044)	387	1.3	9	Human immunodeficiency virus infection (*042-*044)	7,055	21.6
	All other causes (Residual)	5,907	20.0	10	Certain conditions originating in the perinatal	7,000	21.0
	All other causes (Nesidual)	3,307	20.0	10	period (760-779)	4.674	14.3
	White non-Hispanic, female, 45-64 years				All other causes (Residual)	59,838	182.9
	All causes	108,098	472.5		Black non-Hispanic, both sexes, 1-4 years		
	Malignant neoplasms, including neoplasms of						
	lymphatic and hematopoietic tissues (140-208)	48,354	211.4		All causes	1,369	64.7
	Diseases of heart (390-398,402,404-429)	20,472	89.5	1	Accidents and adverse effects (E800-E949)	462	21.8
3	Chronic obstructive pulmonary diseases				Motor vehicle accidents (E810-E825)	182	8.6
	and allied conditions (490-496)	5,299	23.2		All other accidents and adverse	000	40.0
	Cerebrovascular diseases (430-438)	4,378	19.1		effects (E800-E807,E826-E949)	280	13.2
	Accidents and adverse effects (E800-E949)	3,969	17.3	2 3	Homicide and legal intervention (E960-E978)	183 121	8.6 5.7
	Motor vehicle accidents (E810-E825)	2,060	9.0	4	Congenital anomalies (740-759)	63	3.0
	effects (E800-E807,E826-E949)	1,909	8.3	5	Malignant neoplasms, including neoplasms of	03	5.0
6	Diabetes mellitus (250)	3,513	15.4		lymphatic and hematopoietic tissues (140-208)	59	2.8
	Chronic liver disease and cirrhosis (571)	2,156	9.4	6	Pneumonia and influenza (480-487)	42	2.0
8	Pneumonia and influenza (480-487)	1,766	7.7	7	Certain conditions originating in the perinatal		
	Suicide (E950-E959)	1,691	7.4		period (760-779)	26	1.2
	Septicemia (038)	963	4.2	8	Chronic obstructive pulmonary diseases		
	All other causes (Residual)	15,537	67.9	_	and allied conditions (490-496)	23	1.1
				9	Septicemia (038)	22	1.0
W	/hite non-Hispanic, female, 65 years and over			10	Cerebrovascular diseases (430-438)	20	0.9
	A.H	000 447	4.007.0		All other causes (Residual)	348	16.4
	All causes	830,417 289,229	4,887.8 1,702.4		Black non-Hispanic, both sexes, 5-14 years		
	Diseases of heart (390-398,402,404-429)	209,229	1,702.4		black flori-i lispatile, botti sexes, 5-14 years		
_	lymphatic and hematopoietic tissues (140-208)	159,316	937.7		All causes	1.804	30.9
3	Cerebrovascular diseases (430-438)	76,631	451.1	1	Accidents and adverse effects (E800-E949)	758	13.0
	Chronic obstructive pulmonary diseases	,			Motor vehicle accidents (E810-E825)	376	6.4
	and allied conditions (490-496)	44,952	264.6		All other accidents and adverse		
5	Pneumonia and influenza (480-487)	41,642	245.1		effects (E800-E807,E826-E949)	382	6.6
6	Diabetes mellitus (250)	20,714	121.9	2	Homicide and legal intervention (E960-E978)	163	2.8
7	Accidents and adverse effects (E800-E949)	14,881	87.6	3	Malignant neoplasms, including neoplasms of		
	Motor vehicle accidents (E810-E825)	3,132	18.4		lymphatic and hematopoietic tissues (140-208)	161	2.8
	All other accidents and adverse			4	Diseases of heart (390-398,402,404-429)	89	1.5
0	effects (E800-E807,E826-E949)	11,749	69.2	5	Congenital anomalies (740-759)	80	1.4
	Alzheimer's disease (331.0)	14,229	83.8	6	Chronic obstructive pulmonary diseases and allied conditions (490-496)	64	4.4
9	nephrosis (580-589)	9,598	56.5	7	Human immunodeficiency virus	04	1.1
10	Septicemia (038)	9,023	53.1	'	infection (*042-*044)	37	0.6
	All other causes (Residual)	150,202	884.1	8	Suicide (E950-E959)	31	0.5
		.00,202		9	Pneumonia and influenza (480-487)	28	0.5
See foot	notes at end of table.			10	Benign neoplasms, carcinoma in situ, and		
					neoplasms of uncertain behavior and of		
					unspecified nature (210-239)	24	0.4
					All other causes (Residual)	369	6.3

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Black non-Hispanic, both sexes, 15-24 years			Bla	ack non-Hispanic, both sexes, 65 years and over		
	All causes	7,039	131.0		All causes	156,823	5,674.
1	Homicide and legal intervention (E960-E978)	3,034	56.5	1	Diseases of heart (390-398,402,404-429)	53,399	1,932.
2	Accidents and adverse effects (E800-E949)	1,627	30.3	2	Malignant neoplasms, including neoplasms of	00,000	1,002.
	Motor vehicle accidents (E810-E825)	1,132	21.1	_	lymphatic and hematopoietic tissues (140-208)	36,324	1,314.
	All other accidents and adverse			3	Cerebrovascular diseases (430-438)	12,861	465.
	effects (E800-E807,E826-E949)	495	9.2	4	Diabetes mellitus (250)	7,396	267.
3	Suicide (E950-E959)	480	8.9	5	Pneumonia and influenza (480-487)	6,130	221.
4	Diseases of heart (390-398,402,404-429)	319	5.9	6	Chronic obstructive pulmonary diseases		
5	Malignant neoplasms, including neoplasms of	0.45	4.0	l _	and allied conditions (490-496)	4,976	180.
	lymphatic and hematopoietic tissues (140-208)	245	4.6	7	Nephritis, nephrotic syndrome, and		
6	Human immunodeficiency virus	404	0.5		nephrosis (580-589)	3,142	113.
7	infection (*042-*044) Congenital anomalies (740-759)	134	2.5 2.0	8 9	Septicemia (038)	3,008	108.8
8	Chronic obstructive pulmonary diseases	105	2.0		Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	2,529 632	91.5 22.9
O	and allied conditions (490-496)	104	1.9		All other accidents and adverse	032	22.3
9	Anemias (280-285)	67	1.2		effects (E800-E807,E826-E949)	1,897	68.6
10	Pneumonia and influenza (480-487)	61	1.1	10	Hypertension with or without renal	1,037	00.
	All other causes (Residual)	863	16.1	'0	disease (401,403)	2,270	82.1
	,				All other causes (Residual)	24,788	897.0
	Black non-Hispanic, both sexes, 25-44 years				Black non-Hispanic, male, all ages ³		
	All causes	31,414	303.7				
1	Diseases of heart (390-398,402,404-429)	4,504	43.5		All causes	141,627	914.0
2	Human immunodeficiency virus	4 400	40.0	1	Diseases of heart (390-398,402,404-429)	37,223	240.
_	infection (*042-*044)	4,483	43.3	2	Malignant neoplasms, including neoplasms of	00.047	000
3	Accidents and adverse effects (E800-E949)	4,147	40.1		lymphatic and hematopoietic tissues (140-208)	32,217	208.
• •	Motor vehicle accidents (E810-E825)	2,130	20.6	3	Accidents and adverse effects (E800-E949)	8,652	55.9
• •	effects (E800-E807,E826-E949)	2,017	19.5		Motor vehicle accidents (E810-E825)	3,939	25.4
4	Malignant neoplasms, including neoplasms of	2,017	13.5		effects (E800-E807,E826-E949)	4,713	30.4
7	lymphatic and hematopoietic tissues (140-208)	3,929	38.0	4	Cerebrovascular diseases (430-438)	7,704	49.8
5	Homicide and legal intervention (E960-E978)	3,742	36.2	5	Homicide and legal intervention (E960-E978)	6,758	43.6
6	Cerebrovascular diseases (430-438)	1,056	10.2	6	Human immunodeficiency virus	0,700	10.0
7	Suicide (E950-E959)	925	8.9		infection (*042-*044)	4,905	31.7
8	Diabetes mellitus (250)	692	6.7	7	Diabetes mellitus (250)	4,469	28.9
9	Pneumonia and influenza (480-487)	585	5.7	8	Pneumonia and influenza (480-487)	4,134	26.
10	Chronic liver disease and cirrhosis (571)	536	5.2	9	Chronic obstructive pulmonary diseases		
	All other causes (Residual)	6,815	65.9		and allied conditions (490-496)	3,996	25.8
				10	Certain conditions originating in the perinatal		
	Black non-Hispanic, both sexes, 45-64 years				period (760-779)	2,640	17.0
	All causes	68,306	1,184.4		All other causes (Residual)	28,929	186.8
1	Malignant neoplasms, including neoplasms of	00,300	1,104.4		Black non-Hispanic, male, 1-4 years		
•	lymphatic and hematopoietic tissues (140-208)	19,913	345.3		Black Hoff Flioparlio, malo, 1 1 youro		
2	Diseases of heart (390-398,402,404-429)	18,875	327.3		All causes	776	72.4
3	Cerebrovascular diseases (430-438)	3,976	68.9	1	Accidents and adverse effects (E800-E949)	273	25.5
3 4	Diabetes mellitus (250)	3,137	54.4		Motor vehicle accidents (E810-E825)	105	9.8
5	Accidents and adverse effects (E800-E949)	2,871	49.8		All other accidents and adverse		
	Motor vehicle accidents (E810-E825)	1,114	19.3		effects (E800-E807,E826-E949)	168	15.7
	All other accidents and adverse			2	Homicide and legal intervention (E960-E978)	105	9.8
_	effects (E800-E807,E826-E949)	1,757	30.5	3	Congenital anomalies (740-759)	66	6.2
6	Human immunodeficiency virus	0.470	07.0	4	Diseases of heart (390-398,402,404-429)	38	3.5
-	infection (*042-*044)	2,179	37.8	5	Malignant neoplasms, including neoplasms of	0.4	0.0
7	Chronic obstructive pulmonary diseases	1 525	26.4	6	lymphatic and hematopoietic tissues (140-208) Pneumonia and influenza (480-487)	31 19	2.9
8	and allied conditions (490-496)	1,525 1,487	26.4 25.8	7	Chronic obstructive pulmonary diseases	19	
9	Pneumonia and influenza (480-487)	1,467	25.6	'	and allied conditions (490-496)	15	
10	Septicemia (038)	978	17.0	8	Septicemia (038)	13	
	All other causes (Residual)	12,111	210.0	9	Certain conditions originating in the perinatal	.5	
		,		-	period (760-779)	12	
See foo	tnotes at end of table.			10	Human immunodeficiency virus		
					infection (*042-*044)	10	,
				10	Cerebrovascular diseases (430-438)	10	
					All other causes (Residual)	184	17.2

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age	Number ²	Rate ²		Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for	Number ²	Rate ²
				Rank ¹	non-Hispanic population, sex, and age		
	Black non-Hispanic, male, 5-14 years				Black non-Hispanic, male, 45-64 years		
	All causes	1,109	37.5		All causes	40,243	1,570.1
1	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	518 253	17.5 8.5	1 2	Diseases of heart (390-398,402,404-429)	11,558	450.9
	All other accidents and adverse effects (E800-E807,E826-E949)	265	9.0	3	lymphatic and hematopoietic tissues (140-208) Cerebrovascular diseases (430-438)	10,870 2,192	424.1 85.5
2	Homicide and legal intervention (E960-E978)	100	3.4	4	Accidents and adverse effects (E800-E949)	2,097	81.8
3	Malignant neoplasms, including neoplasms of	00	0.0		Motor vehicle accidents (E810-E825)	771	30.1
4	lymphatic and hematopoietic tissues (140-208) Diseases of heart (390-398,402,404-429)	96 48	3.2 1.6		All other accidents and adverse effects (E800-E807,E826-E949)	1,326	51.7
5	Congenital anomalies (740-759)	46	1.6	5	Human immunodeficiency virus	1,320	31.7
6	Chronic obstructive pulmonary diseases				infection (*042-*044)	1,671	65.2
_	and allied conditions (490-496)	39	1.3	6	Diabetes mellitus (250)	1,490	58.1
7 8	Suicide (E950-E959)	23	8.0	7 8	Chronic liver disease and cirrhosis (571)	1,056	41.2
O	infection (*042-*044)	15	*	8	Chronic obstructive pulmonary diseases and allied conditions (490-496)	801	31.3
9	Pneumonia and influenza (480-487)	14	*	9	Pneumonia and influenza (480-487)	788	30.7
9	Cerebrovascular diseases (430-438)	14	*	10	Homicide and legal intervention (E960-E978)	681	26.6
	All other causes (Residual)	196	6.6		All other causes (Residual)	7,039	274.6
	Black non-Hispanic, male, 15-24 years				Black non-Hispanic, male, 65 years and over		
	All causes	5,423	201.4		All causes	69.836	6.458.3
1	Homicide and legal intervention (E960-E978)	2,684	99.7	1	Diseases of heart (390-398,402,404-429)	22,515	2,082.2
2	Accidents and adverse effects (E800-E949)	1,264	46.9	2	Malignant neoplasms, including neoplasms of		
	Motor vehicle accidents (E810-E825)	844	31.3		lymphatic and hematopoietic tissues (140-208)	19,466	1,800.2
	effects (E800-E807,E826-E949)	420	15.6	3 4	Cerebrovascular diseases (430-438) Pneumonia and influenza (480-487)	4,920 2,856	455.0 264.1
3	Suicide (E950-E959)	421	15.6	4	Chronic obstructive pulmonary diseases	2,000	204.1
4	Diseases of heart (390-398,402,404-429)	210	7.8	l '	and allied conditions (490-496)	2,856	264.1
5	Malignant neoplasms, including neoplasms of			6	Diabetes mellitus (250)	2,563	237.0
_	lymphatic and hematopoietic tissues (140-208)	131	4.9	7	Accidents and adverse effects (E800-E949)	1,339	123.8
6	Chronic obstructive pulmonary diseases and allied conditions (490-496)	68	2.5		Motor vehicle accidents (E810-E825)	395	36.5
7	Congenital anomalies (740-759)	65	2.3		effects (E800-E807,E826-E949)	944	87.3
8	Human immunodeficiency virus	00	2	8	Nephritis nephrotic syndrome and	544	07.0
	infection (*042-*044)	54	2.0		nephrosis (580-589)	1,246	115.2
9	Anemias (280-285)	34	1.3	9	Septicemia (038)	1,149	106.3
10	Pneumonia and influenza (480-487)	23	0.9	10	Hypertension with or without renal	700	70.4
	All other causes (Residual)	469	17.4		disease (401,403)	783 10,143	72.4 938.0
	Black non-Hispanic, male, 25-44 years				, ,	10,143	930.0
	All causes	19,467	401.2		Black non-Hispanic, female, all ages ³		
1	Accidents and adverse effects (E800-E949)	3,039	62.6	1	All causes	133,637	775.5
	Motor vehicle accidents (E810-E825)	1,555	32.0	1	Diseases of heart (390-398,402,404-429)	40,211	233.3
	All other accidents and adverse			2	Malignant neoplasms, including neoplasms of		
_	effects (E800-E807,E826-E949)	1,484	30.6		lymphatic and hematopoietic tissues (140-208)	28,425	164.9
2	Human immunodeficiency virus	3.003	61.9	3	Cerebrovascular diseases (430-438)	10,363	60.1
3	infection (*042-*044)	3,003	61.8	4 5	Diabetes mellitus (250) Pneumonia and influenza (480-487)	6,809 4,112	39.5 23.9
4	Diseases of heart (390-398,402,404-429)	2,758	56.8	6	Accidents and adverse effects (E800-E949)	3,965	23.0
5	Malignant neoplasms, including neoplasms of	_,		l	Motor vehicle accidents (E810-E825)	1,668	9.7
	lymphatic and hematopoietic tissues (140-208)	1,615	33.3		All other accidents and adverse	,	
6	Suicide (E950-E959)(400, 400)	774	16.0	_	effects (E800-E807,E826-E949)	2,297	13.3
7 8	Cerebrovascular diseases (430-438) Diabetes mellitus (250)	495 392	10.2 8.1	7	Chronic obstructive pulmonary diseases and allied conditions (490-496)	3.135	18.2
9	Pneumonia and influenza (480-487)	392 349	7.2	8	Septicemia (038)	2,545	14.8
10	Chronic liver disease and cirrhosis (571)	337	6.9	9	Nephritis, nephrotic syndrome, and	2,040	14.0
	All other causes (Residual)	3,704	76.3		nephrosis (580-589)	2,379	13.8
				10	Human immunodeficiency virus		
See foot	notes at end of table.				infection (*042-*044)	2,150	12.5
					All other causes (Residual)	29,543	171.4

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1998—Con.

Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for non-Hispanic population, sex, and age		Rate ²		Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin, race for		Rate ²
		Number ²		Rank ¹	non-Hispanic population, sex, and age	Number ²	
	Black non-Hispanic, female, 1-4 years				Black non-Hispanic, female, 25-44 years		
	All causes	593	56.8		All causes	11,947	217.5
1	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	189 77	18.1 7.4	1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,314	42.1
	All other accidents and adverse effects (E800-E807,E826-E949)	112	10.7	2 3	Diseases of heart (390-398,402,404-429) Human immunodeficiency virus	1,746	31.8
2	Homicide and legal intervention (E960-E978)	78	7.5		infection (*042-*044)	1,480	26.9
3	Congenital anomalies (740-759)	55	5.3	4	Accidents and adverse effects (E800-E949)	1,108	20.2
4	Malignant neoplasms, including neoplasms of	20	0.7		Motor vehicle accidents (E810-E825)	575	10.5
5	lymphatic and hematopoietic tissues (140-208) Diseases of heart (390-398,402,404-429)	28 25	2.7 2.4		All other accidents and adverse effects (E800-E807,E826-E949)	533	9.7
6	Pneumonia and influenza (480-487)	23	2.4	5	Homicide and legal intervention (E960-E978)	741	13.5
7	Certain conditions originating in the perinatal	20	2.2	6	Cerebrovascular diseases (430-438)	561	10.2
•	period (760-779)	14	*	7	Diabetes mellitus (250)	300	5.5
8	Cerebrovascular diseases (430-438)	10	*	8	Pneumonia and influenza (480-487)	236	4.3
9	Human immunodeficiency virus		*	9	Chronic obstructive pulmonary diseases		
	infection (*042-*044)	9	*	40	and allied conditions (490-496)	214	3.9
9	Septicemia (038)	9 153	14.6	10	Chronic liver disease and cirrhosis (571)All other causes (Residual)	199 3,048	3.6 55.5
	(,	100	14.0		,	3,040	55.5
	Black non-Hispanic, female, 5-14 years				Black non-Hispanic, female, 45-64 years		
	All causes	695	24.2		All causes	28,063	875.9
1	Accidents and adverse effects (E800-E949)	240	8.4	1	Malignant neoplasms, including neoplasms of		
	Motor vehicle accidents (E810-E825)	123	4.3		lymphatic and hematopoietic tissues (140-208)	9,043	282.2
	All other accidents and adverse	117	4.1	2	Diseases of heart (390-398,402,404-429)	7,317	228.4
2	effects (E800-E807,E826-E949)	117	4.1	3 4	Cerebrovascular diseases (430-438) Diabetes mellitus (250)	1,784 1,647	55.7 51.4
2	lymphatic and hematopoietic tissues (140-208)	65	2.3	5	Accidents and adverse effects (E800-E949)	774	24.2
3	Homicide and legal intervention (E960-E978)	63	2.2		Motor vehicle accidents (E810-E825)	343	10.7
4	Diseases of heart (390-398,402,404-429)	41	1.4		All other accidents and adverse		
5	Congenital anomalies (740-759)	34	1.2		effects (E800-E807,E826-E949)	431	13.5
6	Chronic obstructive pulmonary diseases			6	Chronic obstructive pulmonary diseases		
7	and allied conditions (490-496)	25	0.9	7	and allied conditions (490-496)	724	22.6
1	infection (*042-*044)	22	0.8	'	Human immunodeficiency virus infection (*042-*044)	508	15.9
8	Pneumonia and influenza (480-487)	14	*	8	Pneumonia and influenza (480-487)	466	14.5
9	Benign neoplasms, carcinoma in situ, and			9	Septicemia (038)	453	14.1
	neoplasms of uncertain behavior and of			10	Chronic liver disease and cirrhosis (571)	431	13.5
	unspecified nature (210-239)	13	*		All other causes (Residual)	4,916	153.4
10	Septicemia (038)	10	*				
	All other causes (Residual)	168	5.8		Black non-Hispanic, female, 65 years and over		
	Black non-Hispanic, female, 15-24 years			1	All causes Diseases of heart (390-398,402,404-429)	86,987 30,884	5,171.1 1,835.9
	All causes	1,616	60.3	2	Malignant neoplasms, including neoplasms of	00,001	1,000.0
1	Accidents and adverse effects (E800-E949)	363	13.5	_	lymphatic and hematopoietic tissues (140-208)	16,858	1,002.1
	Motor vehicle accidents (E810-E825)	288	10.7	3	Cerebrovascular diseases (430-438)	7,941	472.1
	All other accidents and adverse	7.5	0.0	4	Diabetes mellitus (250)	4,833	287.3
2	effects (E800-E807,E826-E949)	75 250	2.8	5	Pneumonia and influenza (480-487)	3,274	194.6
2	Homicide and legal intervention (E960-E978) Malignant neoplasms, including neoplasms of	350	13.1	6	Chronic obstructive pulmonary diseases	2.420	400.0
3	lymphatic and hematopoietic tissues (140-208)	114	4.3	7	and allied conditions (490-496)	2,120	126.0
4	Diseases of heart (390-398,402,404-429)	109	4.1	'	nephrosis (580-589)	1.896	112.7
5	Human immunodeficiency virus			8	Septicemia (038)	1,859	110.5
	infection (*042-*044)	80	3.0	9	Hypertension with or without		
6	Suicide (E950-E959)	59	2.2		renal disease (401,403)	1,487	88.4
7	Congenital anomalies (740-759)	40	1.5	10	Accidents and adverse effects (E800-E949)	1,190	70.7
8 9	Chronic obstructive pulmonary diseases	38	1.4		Motor vehicle accidents (E810-E825)	237	14.1
9	and allied conditions (490-496)	36	1.3		All other accidents and adverse effects (E800-E807,E826-E949)	953	56.7
10	Complications of pregnancy, childbirth, and	00	1.0		All other causes (Residual)	14,645	870.6
-	the puerperium (630-676)	33	1.2			. 1,0 10	5, 5.0
10	Anemias (280-285)	33	1.2				
	All other causes (Residual)	361	13.5				

^{....} Category not applicable.

* Figure does not meet standards of reliability or precision; see Technical notes.

¹Rank based on number of deaths; see Technical notes.

²Figures for age not stated are included in "All ages" but not distributed among age groups.

³Includes deaths for "Under 1 year."

⁴Includes races other than white and black.